L Number	Hits	Search Text	DB	Time stamp
13	5731862	FEA load support condition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 16:56
14	188	FEA and load and support and condition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 16:56
15	779	(FEA "finite element analysis") and load and support and condition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 16:57
16	2	(FEA "finite element analysis") same load same support adj4 condition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 16:57
17	506	(FEA "finite element analysis") same condition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 16:57
18	47	(FEA "finite element analysis") same condition and CAD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 19:58
19	15	(FEA "finite element analysis") same condition and CAD and @pd < "19980903"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 18:09
20	9	(FEA "finite element analysis") same condition same (load$ support$) and CAD and @pd < "19980903"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 18:25
21	9	(FEA "finite element analysis") same condition same (load$ support$) and CAD and @pd < "19980903" and (FEA finite element analysis method model modeling computer aided design CAD assisted drafting parameter apparatus program display monitor input side edge face region body entity particle load force support structure condition condition function drawing graphy graphic graphics loop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 19:31
22	0	(FEA "finite element analysis") same condition same (load$ support$) same region and CAD and @pd < "19980903" and (FEA finite element analysis method model modeling computer aided design CAD assisted drafting parameter apparatus program display monitor input side edge face region body entity particle load force support structure condition condition function drawing graphy graphic graphics loop load support loading supporting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 19:35
23	0	(FEA "finite element analysis") same condition and CAD and "9 load$"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 19:59

24	0	(FEA "finite element analysis") and "9 loading condition"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 19:59
25	140	(FEA "finite element analysis") and "loading condition"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 20:00
26	0	(FEA "finite element analysis") and "loading condition" adj4 "9"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 20:00
27	0	(FEA "finite element analysis") and "load condition" adj4 "9"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 20:00
28	0	(FEA "finite element analysis") and "load condition" adj4 "nine"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 20:00
29	0	(FEA "finite element analysis") and "loading condition" adj4 "nine"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 20:01
30	0	"loading condition" adj4 "nine"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 20:01
31	0	"load condition" adj4 "nine"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 20:01
32	199	("9 load" "9 loading" "nine load" "nine loading") same condition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 20:02
33	2	("9 load" "9 loading" "nine load" "nine loading") same condition and ("FEA" "finite element analysis")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 20:05
34	2	("9 load" "9 loading" "nine load" "nine loading") same condition and ("FEA" "finite element analysis") and (FEA finite element analysis method model modeling computer aided design CAD assisted drafting parameter apparatus program display monitor input side edge face region body entity particle load force support structure condition condition function drawing graphy graphic graphics loop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 20:10
-	283	(FEA "finite element analysis") and (CAD "computer assisted dragting") and (method apparatus program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:10

-	190	(FEA "finite element analysis") and (CAD "computer assisted dragting") and (method apparatus program) and (graphic graphical graphics)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:15
-	277	(FEA "finite element analysis") and (CAD "computer assisted dragting") and (method apparatus program) and (graphic graphical graphics drawing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:16
-	210	(FEA "finite element analysis") and (CAD "computer assisted dragting") and (method apparatus program) and (graphic graphical graphics drawing) and parameter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:16
-	210	(FEA "finite element analysis") and (CAD "computer assisted dragting") and (method apparatus program) and (graphic graphical graphics drawing) and (parameter parameters)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:16
-	180	(FEA "finite element analysis") and (CAD "computer assisted dragting") and (method apparatus program) and (graphic graphical graphics drawing) and (parameter parameters) and ("single point" loop face region)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:20
-	196	(FEA "finite element analysis") and (CAD "computer assisted dragting") and (method apparatus program) and (graphic graphical graphics drawing) and (parameter parameters) and ("single point" loop face region side)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:20
-	177	(FEA "finite element analysis") and (CAD "computer assisted dragting") and (method apparatus program) and (graphic graphical graphics drawing) and (parameter parameters) and ("single point" loop face region side) and (body object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:21
-	177	(FEA "finite element analysis") and (CAD "computer assisted dragting") and (method apparatus program) and (graphic graphical graphics drawing) and (parameter parameters) and ("single point" loop face region side edge) and (body object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:21
-	155	(FEA "finite element analysis") and (CAD "computer assisted dragting") and (method apparatus program) and (graphic graphical graphics drawing) and (parameter parameters) and ("single point" loop face region side edge) and (body object) and (load support force)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:23
-	161	(FEA "finite element analysis") and (CAD "computer assisted dragting") and (method apparatus program) and (graphic graphical graphics drawing) and (parameter parameters) and ("single point" loop face region side edge) and (body object) and (load support force loading supporting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:23
-	51	(FEA "finite element analysis") and (CAD "computer assisted dragting") and (method apparatus program) and (graphic graphical graphics drawing) and (parameter parameters) and ("single point" loop face region side edge) and (body object) and (load support force loading supporting) and @pd < "19990903"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 22:09
-	1884	hummel.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:39

-	132	hummel.in. and ("Peter Hummel" "hummel, peter")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:39
-	1	hummel.in. and ("Peter Hummel" "hummel, peter")and (CAD "computer assisted drafting")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:40
-	1	hummel.in. and ("Peter Hummel" "hummel, peter") and (CAD "computer assisted drafting")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:41
-	1	hummel.in. and ("Peter Hummel" "hummel, peter") and (CAD "computer assisted")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:42
-	1	hummel.in. and ("Peter Hummel" "hummel, peter") and (CAD computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:42
-	45	hummel.in. and ("Peter Hummel" "hummel, peter") and (apparatus method program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:49
-	1	hummel.in. and ("Peter Hummel" "hummel, peter") and (FEA "finite element analysis")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:45
-	2	jacak.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:46
-	4	hutnan.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:48
-	2	5029119.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:48
-	51	(FEA "finite element analysis") and (CAD "computer assisted drafting") and (method apparatus program) and (graphic graphical graphics drawing) and (parameter parameters) and ("single point" loop face region side edge) and (body object) and (load support force loading supporting) and @pd < "19990903"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:51
-	52	(FEA "finite element analysis") and (CAD "computer assisted drafting" "computer aided design") and (method apparatus program) and (graphic graphical graphics drawing) and (parameter parameters) and ("single point" loop face region side edge) and (body object) and (load support force loading supporting) and @pd < "19990903"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 16:05

-		52	(FEA "finite element analysis") and (CAD "computer assisted drafting" "computer aided design") and (method apparatus program) and (graphic graphical graphics drawing) and (parameter parameters) and ("single point" loop face region side edge) and (body object entity) and (load support force loading supporting) and @pd < "19990903"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 16:07
-		36	(FEA "finite element analysis") and (CAD "computer assisted drafting" "computer aided design") and (method apparatus program) and (graphic graphical graphics drawing) and (parameter parameters) and ("single point" loop face region side edge) and (body entity) and (load support force loading supporting) and @pd < "19990903"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 16:27
-		2	5289567.pn. and (FEA finite element analysis method model modeling computer aided design CAD assisted drafting parameter apparatus program display monitor input side edge face region body entity particle load force support structure condition condition function drawing graphy graphic graphics loop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 21:52
-		1	"5159664".PN.	USPAT	2004/03/04 16:48
-		779	(FEA "finite element analysis") and load and support and condition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 17:00
-		89	(FEA "finite element analysis") and load and support and condition and (CAD "computer aided design" " computer assisted dratfing")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 17:00
-		30	(FEA "finite element analysis") and load same support and condition and (CAD "computer aided design" " computer assisted dratfing")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 17:01
-		10	(FEA "finite element analysis") and load same support same condition and (CAD "computer aided design" " computer assisted dratfing")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 17:01
-		10	(FEA "finite element analysis") and load same support same condition and (CAD "computer aided design" " computer assisted dratfing") and (load support condition FEA finite element analysis method model modeling computer aided design CAD assisted drafting parameter apparatus program display monitor input side edge face region body entity particle load force support structure condition condition function drawing graphy graphic graphics loop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 21:14
-		5	"load condition" same "support condition"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 21:54
-		0	"load condition" same "support condition" and FEA	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 21:54
-		0	"load condition" same "support condition" and CAD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 21:55

-	74	FEA and CAD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 21:55
-	50	"Computer Aided Design" and "Finite Element Analysis" and @pd < "19990903"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 22:12
-	50	"Computer Aided Design" and "Finite Element Analysis" and @pd < "19990903" and (FEA finite element analysis method model modeling computer aided design CAD assisted drafting parameter apparatus program display monitor input side edge face region body entity particle load force support structure condition condition function drawing graphy graphic graphics loop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 23:59
-	1073	"FEA"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 22:26
-	253	"FEA" and load and support	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 22:26
-	188	"FEA" and load and support and condition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 22:26
-	22	"FEA" and load and support and condition and CAD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 22:26
-	22	"FEA" and load and support and condition and CAD and (FEA finite element analysis method model modeling computer aided design CAD assisted drafting parameter apparatus program display monitor input side edge face region body entity particle load force support structure condition condition function drawing graphy graphic graphics loop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 22:31
-	27	"FEA" and load and support and type and CAD and (FEA finite element analysis method model modeling computer aided design CAD assisted drafting parameter apparatus program display monitor input side edge face region body entity particle load force support structure condition condition function drawing graphy graphic graphics loop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 22:52
-	1	"4641355".PN.	USPAT	2004/03/04 22:36
-	1	"4783829".PN.	USPAT	2004/03/04 22:37
-	1370	(apparatus method program) and (define defined defining) and parameter and (FEA "finite element analysis")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 22:53
-	26	(apparatus method program) same (define defined defining) same parameter same (FEA "finite element analysis")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 22:54

| - | | 2 | (apparatus method program) same (define defined defining) same parameter same (FEA "finite element analysis") same (CAD "computer aided design") | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/04 22:54 |